

## REFERENCES

- [1] T. Fujiwara, H. Koshimizu, K. Fujimura, H. Kihara, Y. Noguchi, and N. Ishikawa, "3D Modeling System of Human Face and Full 3D Facial Caricaturing" *Proceedings of the Seventh International Conference on Virtual Systems and Multimedia (VSMM'01)*, 2001
- [2] P-Y Chiang, "Caricature Generation by Analyzing Facial Features" Master's thesis, NCCU, Taiwan, 2004.
- [3] A. Shadbolt, "From 2D Photographs to 3D Caricatures", Master's Thesis, University of Sheffield, UK, 2003
- [4] Y. Lee, D. Terzopoulos, and K. Waters, "Realistic Modeling for Facial Animation", *Proceedings of the 22<sup>nd</sup> annual conference on Computer graphics and interactive techniques*, September 1995.
- [5] Cyberware Laboratory Inc. <http://www.cyberware.com>
- [6] S. M. Seitz and C. R. Dyer, "View morphing", *Proceedings of the 23rd annual conference on Computer graphics and interactive techniques*, p.21-30, August 1996
- [7] R. Lengagne, P. Fua, and O. Monga, "3D Face Modeling from Stereo and Differential Constraints", *Proceedings of IEEE International Conference on Automatic Face and Gesture Recognition*, Nara, Japan, April 1998
- [8] A. J. O'Toole, T. Price, T. Vetter, J. C. Bartlett, and V. Blanz, "3D shape and 2D surface textures of human faces: the role of "averages" in attractiveness and age", *Image and Vision Computing* 18, 9-19, 1999
- [9] MPEG-4 Overview, <http://drogo.cselt.it/mpeg/standards/mpeg-4/mpeg-4.htm>, 1999.
- [10] M. Kass, A. Witkin, and D. Terzopoulos, "Snakes: Active contour models", *Journal of Computer Vision*, 8(2):321-331, 1998
- [11] T. F. Cotes, G.J, Edwards, and C.J. Taylor, "Active Appearance Models", *Computer Vision-ECCV '98, Vol II, LNCS 1407*, 1998.
- [12] M. B. Stegmann, "Active Appearance Models – Theory, Extensions & Cases 2<sup>nd</sup> edition", Master Thesis, Technical University of Denmark, 2000.
- [13] AAM-API, <http://www.imm.dtu.dk/~aam/aamapi>
- [14] The IMM Face Database – An Annotated Dataset of 240 Face Images.

[http://www.imm.dtu.dk/pubdb/views/publication\\_details.php?id=3160](http://www.imm.dtu.dk/pubdb/views/publication_details.php?id=3160)

- [15] S. T. Barnard and M. A. Fischler. “Computational stereo”, *Computational Surveys*, 1982
- [16] K. Muhlmann, D. Maier, J. Hesser, and R. Manner, “Calculating Dense Disparity Maps from Color Stereo Images, an efficient Implementation.”, *International Journal of Computer Vision* 47(1-3), 79-88, 2002
- [17] P. Fua. “A parallel stereo algorithm that produces dense depth maps and preserves image features”, *Machine Vision Applications*. 6(1), 1993
- [18] T. Kanade and M. Okutomi. “A stereo matching algorithm with an adaptive window: theory and experiment”, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 16, pp. 920 – 932, No. 9, September, 1994
- [19] <http://www.unusually.com.tw/>
- [20] H. Chen, L. Liang, Z. Q. Liu, C. Rose, Y. Q. Xu, H. Y. Shum, and D. Salesin, “Example-Based Composite Sketching of Human Portraits”, *Proceedings of 3rd Int’l Symp. NPAR*, 2004
- [21] L. Liang, H. Chen, Y-Q Xu, and H-Y Shum. “Example-Based Caricature Generation with Exaggeration”, *Proceedings of 10th Pacific Conference on Computer Graphics and Applications*, 2002
- [22] T. Beier, S. Neely. “Feature-Based Image Metamorphosis”, *Proceedings of the 19th Annual Conference on Computer Graphics and Interactive Techniques (SIGGRAPH)*. Volume 26, Pages 35-42, 1992
- [23] <http://www.facegen.com>
- [24] A. A. Efros and T. K. Leung. “Texture Synthesis by Non-parametric Sampling”, *Proceedings of IEEE International Conference on Computer Vision*, September 1999