

REFERENCES

1. Dempster, A. P., Laird, N. M. and Rubin, D. B. (1977). Maximum likelihood from incomplete data via the EM algorithm (with discussion). *Journal of the Royal Statistical Society B*, **39**, 1-38.
2. Efron, B. and Tibshirani, R. J. (1993). *An Introduction to the Bootstrap*. Chapman & Hall, Inc., London.
3. Gelfand, A. E. and Smith A. F. M. (1990). Sampling based approaches to calculating marginal densities. *Journal of the American Statistical Association* **85**, 398-409.
4. Geman, S. and Geman, D. (1984). Stochastic relaxation, Gibbs distribution and the Bayesian restoration of images. *IEEE Trans. Pattn. Anal. Math. Intel.*, **6**, 721-741.
5. Gilks, W. R., Richardson, S. and Spiegelhalter, D. J. (1996). *Markov Chain Monte Carlo in Practice*. Chapman & Hall/CRC, London.
6. Lawless, J. F. (1982). *Statistical Models and Methods for Lifetime Data*. John Wiley & Sons, New York.
7. Hall, P. (1992). *The Bootstrap and Edgeworth Expansion*. New York: Springer-Verlag.

8. Hastings, W. K. (1970). Monte carlo sampling methods using Markov chains and their applications. *Biometrika*, **57**, 97-109.
9. Hudak, S. J. Jr., Saxena, A., Bussi, R. J. and Malcolm, R. C. (1978). Development of standard methods of testing and analyzing fatigue crack growth rate data. Technical Report AFML-TR-78-40 Westinghouse R & D Center, Westinghouse Electric Corporation, Pittsburgh, PA 15235.
10. Lu, C. J. and Meeker, W. Q. (1993). Using degradation measures to estimate a time-to-failure distribution. *Technometrics*, **35**, 161-174.
11. McLachlan, G. J. and Krishnan, T. (1997). *The EM Algorithm and Extensions*. John Wiley & Sons, New York.
12. Meeker, W. Q. and Escobar, L. A. (1998). *Statistical Methods for Reliability Data*. John Wiley & Sons, New York.
13. Meng, X. L. and Rubin, D. B. (1993). Maximum likelihood estimation via the ECM algorithm : a general framework. *Biometrika B*, **80**, 267-278.
14. Metropolis, N., Rosenbluth, A. W., Rosenbluth, M. N., Teller, A. H. and Teller, E (1953). Equations of state calculations by fast computing machine. *J. Chem. Phys*, **21**, 1087-1091.
15. Murphy, A. J. and Menichelli, V. J. (1979). Introduction to thermal transient testing. Technical report, Pasadena Scientific Industries.

16. Sammel, M. D., Ryan, L. M. and Legler, J. M. (1997). Latent variable models for mixed discrete and continuous outcomes. *Journal of the Royal Statistical Society B*, **59**, 667-678.
17. Taguchi, G. (1991). *Taguchi Methods, Signal-to-Noise Ratio for Quality Evaluation*, Vol 3. Dearborn, MI: American Supplier Institute Press.
18. Tierney, L. (1994). Markov chains for exploring posterior distributions (with discussion). *Ann. Statist.*, **22**, 1701-1762.
19. Tseng, S. T., Hamada, M. and Chiao, C. H. (1995). Using degradation data from a factorial experiment to improve fluorescent lamp reliability. *Journal of Quality Technology* **46**, 130-133.
20. Wei, G. C. G. and Tanner, M. A. (1990). A Monte Carlo implementation of the EM algorithm and the poor man's data augmentation algorithms. *Journal of the American Statistical Association* **85**, 699-704.
21. Wu, C. F. J. and Hamada, M. (2000). *Experiments Planning, Analysis, and Parameter Design Optimization*. John Wiley & Sons, New York.